

هد (ft)	دبی G.P.M	قدرت الکتروموتور kw	قطرانش in	مدل
32.5	66	0.75	1¼"	NB 32-125.1/100
38.7	74.4	1.1	1¼"	NB 32-125.1/110
51.5	86.7	1.5	1¼"	NB 32-125.1/121
74.2	103	2.2	1¼"	NB 32-125.1/140
42.7	99.9	1.1	1¼"	NB 32-125/115
61.7	112	2.2	1¼"	NB 32-125/130
77.4	124	3	1¼"	NB 32-125/142
55.8	71.8	1.5	1¼"	NB 32-160.1/139
73.2	84.1	2.2	1¼"	NB 32-160.1/155
94.5	96	3	1¼"	NB 32-160.1/169
114	94.7	4	1¼"	NB 32-160.1/177
65.3	102	2.2	1¼"	NB 32-160/139
80.4	111	3	1¼"	NB 32-160/151
94.5	129	4	1¼"	NB 32-160/163
115	146	5.5	1¼"	NB 32-160/177
90.9	80.1	3	1¼"	NB 32-200.1/172
116	88.5	4	1¼"	NB 32-200.1/188
145	98.2	5.5	1¼"	NB 32-200.1/205
150	100	7.5	1¼"	NB 32-200.1/207
98.4	122	4	1¼"	NB 32-200/176
126	136	5.5	1¼"	NB 32-200/190
155	159	7.5	1¼"	NB 32-200/206
177	177	11	1¼"	NB 32-200/219
138	83.2	5.5	1¼"	NB 32-250/199
167	95.5	7.5	1¼"	NB 32-250/219
214	111	11	1¼"	NB 32-250/244
258	118	15	1¼"	NB 32-250/262

هد (ft)	دبی G.P.M	قدرت الکتروموتور kw	قطرانش in	مدل
30.8	173	1.5	1½"	NB 40-125/105
43	178	2.2	1½"	NB 40-125/116
53.5	207	3	1½"	NB 40-125/127
66.9	223	4	1½"	NB 40-125/139
72.2	228	5.5	1½"	NB 40-125/142
81.7	156	4	1½"	NB 40-160/144
103	173	5.5	1½"	NB 40-160/158
127	193	7.5	1½"	NB 40-160/172
136	202	11	1½"	NB 40-160/177
971	187	5.5	1½"	NB 40-200/172
119	213	7.5	1½"	NB 40-200/188
147	245	11	1½"	NB 40-200/206
170	265	15	1½"	NB 40-200/219
169	220	11	1½"	NB 40-250/211
200	254	15	1½"	NB 40-250/230
246	285	19	1½"	NB 40-250/245
256	288	22	1½"	NB 40-250/255
270	295	30	1½"	NB 40-250/260
هد (ft)	دبی G.P.M	قدرت الکتروموتور kw	قطرانش in	مدل
37.4	271	3	2	NB 50-125/111
47.2	306	4	2	NB 50-125/121
62.7	333	5.5	2	NB 50-125/135
74.5	357	7.5	2	NB 50-125/144
67.9	306	5.5	2	NB 50-160/136
84.6	341	7.5	2	NB 50-160/150
109	389	11	2	NB 50-160/167
128	416	15	2	NB 50-160/177
126	310	11	2	NB 50-200/181
151	357	15	2	NB 50-200/198
173	390	18.5	2	NB 50-200/210
190	411	22	2	NB 50-200/219
154	310	15	2	NB 50-250/205
189	322	18.5	2	NB 50-250/222
		22	2	NB 50-250/233
		30	2	NB 50-250/254
		37	2	NB 50-250/263

هد (ft)	دبی G.P.M	قدرت الکتروموتور kw	قطرانش in	مدل
40.7	381	4	2	NB 65-125/120
48.2	474	5.5	2	NB 65-125/127
62	508	7.5	2	NB 65-125/137
68.2	555	11	2	NB 65-125/144
67.9	450	7.5	2½"	NB 65-160/143
86.6	501	11	2½"	NB 65-160/157
111	563	15	2½"	NB 65-160/173
119	581	18.5	2½"	NB 65-160/177
99.4	393	11	2½"	NB 65-200/162
123	445	15	2½"	NB 65-200/177
141	485	18.5	2½"	NB 65-200/190
156	517	22	2½"	NB 65-200/198
199	585	30	2½"	NB 65-200/217
201	594	37	2½"	NB 65-200/219
195	542	30	2½"	NB 65-250/223
223	590	37	2½"	NB 65-250/238
253	638	45	2½"	NB 65-250/251
291	689	55	2½"	NB 65-250/269
293	707	75	2½"	NB 65-250/270
هد (ft)	دبی G.P.M	قدرت الکتروموتور kw	قطرانش in	مدل
55.8	718	11	3	NB 80-160/147
70.9	797	15	3	NB 80-160/151
84.3	841	18.5	3	NB 80-160/161
92.9	878	22	3	NB 80-160/167
110	936	30	3	NB 80-160/177
104	704	22	3	NB 80-200/171
133	801	30	3	NB 80-200/188
152	877	37	3	NB 80-200/200
176	938	45	3	NB 80-200/211
197	1000	55	3	NB 80-200/222
198	823	45	3	NB 80-250/220
224	891	55	3	NB 80-250/234
276	1020	75	3	NB 80-250/257
307	1100	90	3	NB 80-250/270